

21608M

1.75 (44)	
TYPE EX-7L SINGLE PHASE CAPACITOR	
CATALOG NO. CEP10006B1	SERIAL NO.
417 KVAR	Crt'd: 6.58 μ F
14203 VOLTS	Coc't: μ F
50 Hz	DEV:
150 kV BIL	S/P: 8/2
CONTAINS FUSES: NO	
MANUFACTURE DATE:	
CONTAINS INTERNAL DISCHARGE RESISTORS	
CONTAINS 2.62 GALS EDISOL [®] VI NON-PCB COMBUSTIBLE FLUID HAVING NO DETECTABLE PCBs (LESS THAN 1 PPM) AT THE TIME OF MANUFACTURE.	
COOPER Power Systems McGRAW-EDISON POWER CAPACITORS GREENWOOD, SC 29646 USA	

2.68
(68)

PART NO. CCZ56K1

DIMENSION = INCHES(MILLIMETERS)

NOTE: MATERIAL-.018 STAINLESS STEEL
TYPE 302 18-8.

FINISHED PART TOLERANCES - DIMENSIONS
IN INCHES UNLESS OTHERWISE SPECIFIED
.XX = \pm .125

ENG. FILE NO.

COOPER

CONFIDENTIAL
MUST NOT BE USED IN
ANY WAY DETRIMENTAL TO
COOPER POWER SYSTEMS

IEEE NAMEPLATE FOR
SIEMENS / AFGHANISTAN

DR. JKM	DATE
CH.	1/26/2010
AP.	SH OF

CCZ56K

REV	DATE	BY	ECN
-----	------	----	-----

کاپی
60MVA

تأیید مدیریت حفظ و امانت
عمادی

مستند مدیریت محو و حذف
مستند



۱۵/۶۶

WBO 9/3

UNIT DESIGN INFORMATION

RATINGS

OUTPUT : 370 KVAR
VOLTAGE : 14203 V
FREQUENCY : 50 HZ
CAPACITANCE : 5.84 uF
BIL : 150 kV

PHYSICAL CHARACTERISTICS


BUSHING 1 CREEPAGE : GROUND STUD
BUSHING 2 CREEPAGE : 32.00 [813 mm]
TANK/BUSHING COLOR : ANSI 70 SKY GRAY
WEIGHT : 90 LBS [41.01 KG]
DIELECTRIC FLUID : 2.34 GALS [8.9 L] EDISOL VI

DIMENSIONS

A : 38.25" [972 mm]
B : 22.50" [572 mm]
C : 9.88" [251 mm]
D : 24.38" [619 mm]
E : 5.25" [133 mm]
E* : 5.88" [149 mm]

INTERNAL DESIGN

SERIES SECTIONS : 8
PARALLEL ELEMENTS : 2
CONTAINS INTERNAL DISCHARGE RESISTORS
DOES NOT CONTAIN INTERNAL FUSES



LEGEND = INCHES / [MM]

FINISHED PART TOLERANCES (UNLESS OTHERWISE SPECIFIED) .XX = ±.125 INCHES

COOPER CONFIDENTIAL MUST NOT BE USED IN ANY WAY DETRIMENTAL TO COOPER POWER SYSTEMS		TYPE EX-7L SINGLE PHASE CAPACITOR UNIT	
		DR. JKM	DATE 1/26/2010
AP.	SH.	OF	CEP10004B1

REV	DATE	BY	ECN



Handwritten notes in Pashto and Persian script, including signatures and dates.

14/44

4/608M

Handwritten notes in Pashto and Persian script, including '40 MVA R'.

PART NO. CCZ56K1


CCZ56K

40 mV/R


تہذیب و ادب کی بحالی

~~2006-2007~~

3/21/11

 $\frac{10}{99}$ 

15095



CHIMTALA S/S

Capacitor External Fuse

۱۵/۳

تأیید مدیریت حفظ اوراق ثبتی
رئیس محلی

[Handwritten signature]

تأیید مدیریت محلی ثبتی

۱۵/۳
د افغانستان
کابل پروتکشن
د امنیت



۱۶/۴۶

۱۸۰ ۹/۶